



ref 2143

2.81 (w) x 1.50 (d) x 2.61 (h) - posts 150mm



ref 2221

3.03 (w) x 2.68 (d) x 3.26 (h) - posts 195mm



ref 2261

3.00 (w) x 2.40 (d) x 2.11 (h) - posts 150mm



ref 2263

2.00 (w) x 1.00 (d) x 3.30 (h) - posts 150mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2312

2.50 (w) x 1.13 (d) x 3.47 (h) - posts 175mm



ref 2321

4.00 (w) x 3.25 (d) x 4.20 (h) - posts 145mm



ref 2364

2.10 (w) x 1.20 (d) x 2.30 (h) - posts 150mm



ref 2390

2.42 (w) x 1.80 (d) x 3.28 (h) - posts 125mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2438

3.64 (w) x 3.10 (d) x 3.10 (h) - posts 145mm



ref 2526

2.59 (w) x 1.50 (d) x 3.00 (h) - posts 145mm



ref 2527

2.40 (w) x 1.80 (d) x 2.71 (h) - posts 145mm



ref 2531


2.40 (w) x 1.50 (d) x 2.32 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2537 (finishing required on-site)
2.25 (w) x 2.00 (d) x 2.52 (h) - posts 145x145mm



ref 2566
2.20 (w) x 1.30 (d) x 3.35 (h) - posts 145mm




ref 2568
2.40 (w) x 1.80 (d) x 3.35 (h) - posts 145mm



ref 2603
2.94 (w) x 1.37 (d) x 3.42 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
 Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
 03/05/23



ref 2616

2.40 (w) x 1.80 (d) x 3.52 (h) - posts 145mm



ref 2639

2.41 (w) x 1.09 (d) x 2.72 (h) - posts 150mm



ref 2641

2.85 (w) x 1.17 (d) x 3.00 (h) - posts 145mm



ref 2652

2.00 (w) x 1.00 (d) x 3.49 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2668

1.80 (w) x 1.00 (d) x 3.23 (h) - posts 145mm



ref 2689

1.80 (w) x 1.10 (d) x 2.98 (h) - posts 145mm



ref 2690

2.80 (w) x 1.18 (d) x 2.70 (h) - posts 145mm



ref 2709

2.80 (w) x 1.20 (d) x 2.70 (h) - posts 130mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2714

2.40 (w) x 1.00 (d) x 3.20 (h) - posts 145mm



ref 2752

4.25 (w) x 2.00 (d) x 3.70 (h) - posts 175mm



ref 2773

2.40 (w) x 1.50 (d) x 3.72 (h) - posts 145mm



ref 2782

2.78 (w) x 1.50 (d) x 3.50 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2789

2.00 (w) x 1.20 (d) x 3.33 (h) - posts 145mm



ref 2794

2.40 (w) x 1.20 (d) x 3.64 (h) - posts 145mm



ref 2806

2.40 (w) x 1.10 (d) x 3.73 (h) - posts 145mm



ref 2809

2.77 (w) x 1.13 (d) x 3.65 (h) - posts 145mm


All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 2836

2.49 (w) x 1.20 (d) x 3.63 (h) - posts 145mm



ref 2914

1.40 (w) x 0.77 (d) x 2.62 (h) - posts 150mm



ref 2933

2.05 (w) x 1.20 (d) x 2.90 (h) - posts 145mm



ref 3058

1.79 (w) x 1.65 (d) x 3.14 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3067

1.97 (w) x 0.84 (d) x 3.33 (h) - posts 150mm



ref 3078

3.00 (w) x 2.00 (d) x 3.56 (h) - posts 145mm



ref 3087

1.61 (w) x 0.99 (d) x 1.90 (h) - posts 150x100mm



ref 3089

2.68 (w) x 2.00 (d) x 4.00 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23




ref 3179

2.10 (w) x 1.40 (d) x 3.24 (h) - posts 180mm



ref 3182

2.40 (w) x 1.40 (d) x 3.35 (h) - posts 145mm



ref 3191

3.15 (w) x 1.50 (d) x 3.98 (h) - posts 200mm




ref 3201

2.54 (w) x 1.30 (d) x 3.60 (h) - posts 140mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3206

2.57 (w) x 2.15 (d) x 2.89 (h) - posts 145mm



ref 3227

3.00 (w) x 2.40 (d) x 2.10 (h) - posts 145mm



ref 3261

2.55 (w) x 0.90 (d) x 3.70 (h) - posts 195mm




ref 3265

2.24 (w) x 1.00 (d) x 3.32 (h) - posts 225mm


All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3303

1.80 (w) x 1.20 (d) x 3.30 (h) - posts 145mm



ref 3334

2.33 (w) x 1.44 (d) x 3.16 (h) - posts 150mm



ref 3337

2.00 (w) x 1.00 (d) - posts 145x95mm



ref 3338

2.40 (w) x 2.00 (d) x 3.30 (h) - posts 195mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3391

2.24 (w) x 1.56 (d) x 2.11 (h) - posts 145mm



ref 3355

2.40 (w) x 1.03 (d) x 3.63 (h) - posts 245mm



ref 3370

2.36 (w) x 1.30 (d) x 3.10 (h) - posts 145mm



ref 3373

2.93 (w) x 0.82 (d) x 3.20 (h) - posts 145mm


All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3396

1.79 (w) x 1.65 (d) x 3.14 (h) - posts 145mm



ref 3401

4.11 (w) x 2.50 (d) x 4.00 (h) - posts 145mm



ref 3456

2.00 (w) x 1.00 (d) x 3.30 (h) - posts 145mm



ref 3461

2.30 (w) x 1.55 (d) x 3.30 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3529

2.80 (w) x 0.85 (d) x 3.33 (h) - posts 150mm



ref 3537

2.80 (w) x 1.50 (d) x 3.69 (h) - posts 150mm



ref 3565

2.23 (w) x 1.45 (d) x 2.61 (h) - posts 145mm



ref 3588

1.80 (w) x 1.20 (d) x 3.30 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3589

2.56 (w) x 1.10 (d) x 3.33 (h) - posts 145mm



ref 3597

2.60 (w) x 1.35 (d) x 3.58 (h) - posts 175mm



ref 3602

2.45 (w) x 1.80 (d) x 3.37 (h) - posts 145mm



ref 3604

2.02 (w) x 1.40 (d) x 3.32 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 3605

4.00 (w) x 2.55 (d) x 3.50 (h) - posts 175mm



ref 3655

2.60 (w) x 2.30 (d) x 3.68 (h) - posts 145mm



ref 3866

3.60 (w) x 2.40 (d) x 3.66 (h) - posts 145mm



ref 10025

3.46 (w) x 3.00 (d) x 3.82 (h) - posts 200mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10104

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm



ref 10105

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm



ref 10106

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm



ref 10107

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10108

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm




ref 10109

1.80 (w) x 1.50 (d) x 3.35 (h) - posts 140mm



ref 10194

2.24 (w) x 1.50 (d) x 3.50 (h) - posts 145mm



ref 10204

1.98 (w) x 1.43 (d) x 2.98 (h) - posts 150mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23




ref 10271

2.40 (w) x 1.80 (d) x 4.17 (h) - posts 195mm



ref 10280

2.80 (w) x 2.40 (d) x 2.97 (h) - posts 195mm



ref 10287

2.12 (w) x 0.85 (d) x 2.80 (h) - posts 145mm



ref 10308

2.00 (w) x 1.80 (d) x 3.58 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10311

4.00 (w) x 3.10 (d) x 3.87 (h) - posts 195mm



ref 10331

2.71 (w) x 2.10 (d) x 3.52 (h) - posts 145mm



ref 10364

2.90 (w) x 1.40 (d) x 3.90 (h) - posts 145mm



ref 10365

2.97 (w) x 1.77 (d) x 3.50 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23




ref 10375

2.40 (w) x 1.80 (d) x 2.88 (h) - posts 145mm



ref 10376

2.70 (w) x 1.10 (d) x 3.44 (h) - posts 175mm



ref 10381

3.23 (w) x 1.64 (d) x 2.62 (h) - posts 220mm




ref 10383

2.40 (w) x 1.10 (d) x 2.40 (h) - posts 150mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10388

1.97 (w) x 0.95 (d) x 3.31 (h) - posts 150mm



ref 10390

3.00 (w) x 1.00 (d) x 3.35 (h) - posts 145mm



ref 10394

4.20 (w) x 2.00 (d) x 4.35 (h) - posts 200mm



ref 10404

2.38 (w) x 1.00 (d) x 3.66 (h) - posts 195mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10410

3.07 (w) x 1.80 (d) x 3.50 (h) - posts 145mm



ref 10412

4.00 (w) x 2.30 (d) x 2.30 (h) - posts 145mm



ref 10424

2.40 (w) x 1.20 (d) x 3.30 (h) - posts 145mm



ref 10431

3.00 (w) x 1.20 (d) x 4.03 (h) - posts 175mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23



ref 10439

1.80 (w) x 0.925 (d) x 3.18 (h) - posts 145mm




ref 10451

2.60 (w) x 1.20 (d) x 3.40 (h) - posts 120mm



ref 10454

2.90 (w) x 1.50 (d) x 3.50 (h) - posts 145mm



ref 10467

1.84 (w) x 1.09 (d) x 3.28 (h) - posts 145mm

All frames are 100% solid oak, quality QP1, planed all round with microbevel, product specifications are subject to change without prior notice
Footprint : (w) = width in metres, (d) = depth in metres, (h) = height in metres (including any brick wall/staddle stone as shown on images)

E&OE
03/05/23